

MYCOTAXON

Volume LXXXVIII, pp. 279-314October-December 2003

PRELIMINARY CHECKLIST OF AGARICALES FROM CROATIA V: FAMILIES CREPIDOTACEAE, RUSSULACEAE AND STROPHARIACEAE

ZDENKO TKALČEC & ARMIN MEŠIĆ

Laboratory of Biocoenotical Research
Ruder Bošković Institute
Bijenička cesta 54, 10000 Zagreb, Croatia
E-mail: zdenko.tkalcec@zg.tel.hr
E-mail: armin.mesic@zg.hinet.hr

ABSTRACT

The fifth and the last part of the preliminary checklist of Agaricales from Croatia is given. It comprises the families Crepidotaceae, Russulaceae and Strophariaceae. 160 species (three of them in a broad sense) belonging to 11 genera are presented. Eight species are reported for the first time from Croatia. For each species, the published and unpublished sources of data are given, as well as the collections in which the material is deposited.

Key words: Basidiomycota, biodiversity, mycoflora, bibliography

INTRODUCTION

This is the fifth and the last part of the preliminary checklist of Agaricales from Croatia. The first four parts have been published in Mycotaxon (Tkalčec & Mešić 2002, Mešić & Tkalčec 2002, Tkalčec & Mešić 2003, Mešić & Tkalčec 2003). This part comprises the families Crepidotaceae, Russulaceae and Strophariaceae. The checklist includes data published or collected before 1 January 2000. Information about the geographical and biogeographical position of Croatia, material, methods and presentation are given in Tkalčec & Mešić (2002).

In this paper we present 160 species (three of them in a broad sense) belonging to 11 genera found on the territory of Croatia, of which we have

revised 84 species. Out of the overall number 9 species belong to the family Crepidotaceae, 121 species to the family Russulaceae, and 30 species to the family Strophariaceae. Eight species are reported for the first time from Croatia.

Marks and abbreviations:

- * - taxon reported for the first time from Croatia in this paper;
- - at least part of records of taxon revised;
- (1) - number in brackets indicates synonym or misapplied name under which the author of the record has quoted the taxon;
- () - empty brackets indicate that the author of the record has also quoted the taxon under the name we use;
- ? - (a) question mark instead of an author of combination means that we could not find the author in the literature available to us; (b) question mark following the source of a published record or abbreviation of a collection means that the author himself doubted his original identification;
- = ? - taxon not found in modern taxonomic literature;
- Exs. - collections in which the dried material (exsiccatum) is deposited;
- HR? - taxon most probably found in the territory of Croatia (locality not precisely quoted);
- Incl. - including;
- Lit. - literature;
- Misappl. - misapplied name;
- Ref. - references (sources of records of taxon);
- unp. - unpublished data.

SURVEY OF TAXA

Family **Crepidotaceae** (S. Imai) Singer

Crepidotus (Fr.) Staude

= *Pleurotellus* Fayod

(Lit.: Arnolds & al. 1995, Bollmann & al. 1996, Dennis & al. 1960, Hansen & Knudsen 1992, Kreisel 1987, Moser 1983, Norstein 1990, Pilát 1948, Senn-Irlet 1992 a, Senn-Irlet 1992 b, Senn-Irlet 1995, Singer 1986, Watling & Gregory 1989)

Crepidotus applanatus (Pers.) P. Kumm.

= *Derminus applanatus* (Pers.) ? (1)

Ref.: Blagaić 1921, Škorić 1928 (1), Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić 1989, unp. Tortić

Exs.: CNF

- ***Crepidotus autochthonus*** J.E. Lange
 - = *Crepidotus fragilis* Joss. (nom. inval.) (1)
 - = *Crepidotus mollis* (Schaeff. : Fr.) Staude var. *pseudoapplanatus* Pilát (2)
 - Ref.: Tortić 1968 b (1), unp. Tkalčec & Mešić, unp. Tortić (1)(2)
 - Exs.: CNF
 - (Lit.: Hansen & Knudsen 1992, Moser 1983, Watling & Gregory 1989)
- ***Crepidotus calolepis*** (Fr.) P. Karst.
 - = *Crepidotus mollis* (Schaeff. : Fr.) Staude var. *calolepis* (Fr.) P. Karst. (1)
 - Ref.: Focht 1974 (1), unp. Kotlaba (according to unp. Tortić), unp. Tkalčec & Mešić
 - Exs.: CNF, PRM
 - (Lit.: Moser 1983, Watling & Gregory 1989)
- ***Crepidotus cesatii*** (Rabenh.) Sacc.
 - = *Crepidotus sphaerosporus* (Pat.) J.E. Lange
 - Ref.: Focht 1974, Tortić 1968 b, Tortić 1973, unp. Tortić
 - Exs.: CNF
 - var. ***cesatii***
 - Ref.: unp. Tkalčec & Mešić
 - Exs.: CNF
 - (Lit.: Senn-Irlet 1995)
- ***Crepidotus epibryus*** (Fr. : Fr.) Quél.
 - = *Pleurotellus graminicola* Fayod
 - = *Crepidotus herbarum* (Peck) Sacc.
 - = *Pleurotellus herbarum* (Peck) Singer
 - = *Crepidotus hypnophilus* (Pers.) Norstein
 - = *Pleurotellus hypnophilus* (Pers.) Fayod
 - = *Agaricus pubescens* Sowerby (nom. illeg.) (1)
 - Ref.: Škorić 1928 (1), unp. Tkalčec & Mešić
 - Exs.: CNF
 - (Lit.: Senn-Irlet 1995, Watling & Gregory 1989)
- ***Crepidotus luteolus*** (Lambotte) Sacc.
 - Ref.: Tortić 1973, unp. Tkalčec & Mešić
 - Exs.: CNF, PRM
 - (Lit.: Senn-Irlet 1995)
- ***Crepidotus mollis*** (Schaeff. : Fr.) Staude
 - = *Agaricus mollis* Schaeff. : Fr. (1)
 - Ref.: Lisiewska & Tortić 1990, Schulzer & al. 1866 (1), Tortić 1964, Tortić 1973, Tortić 1989, Tortić & Lisiewska 1978, unp. Tkalčec & Mešić, unp. Tortić, Pilát 1948 HR?
 - Exs.: CNF, PRM
 - (Lit.: Moser 1983, Watling & Gregory 1989)

Crepidotus variabilis (Pers. : Fr.) P. Kumm.= *Agaricus variabilis* Pers. : Fr. (1)

Ref.: Barčić 1982, Barčić 1996, Schulzer 1882 (1), Schulzer & al. 1866 (1), Vrščaj 1990

Exs.: CNF

Tubaria (W.G. Sm.) Gillet

(Lit: Arnolds & al. 1995, Bon 1992, Dennis & al. 1960, Hansen & Knudsen 1992, Kreisel 1987, Moser 1983, Singer 1986)

Tubaria furfuracea (Pers. : Fr.) Gillet **sensu lato**Incl.: *Tubaria furfuracea* (Pers. : Fr.) Gillet (1)*Tubaria hiemalis* Romagn. ex Bon*Tubaria romagnesiana* Arnolds

Ref.: Focht 1972 (1), Focht 1974 (1), Tortić 1968 b (1), unp. Tortić (1)

Exs.: CNF

Annotation: This is an aggregate of a few very similar species (by some authors possibly forms of one species) which are often misidentified. Therefore, without revision it is not possible to know which species the authors of the quotes for Croatia have found.

Family **Russulaceae** Roze ex Lotsy***Lactarius*** Pers. ("*Lactaria*")

(Lit.: Arnolds & al. 1995, Basso 1999, Bon 1980, Dennis & al. 1960, Hansen & Knudsen 1992, Heilmann-Clausen & al. 1998, Kreisel 1987, Moser 1983, Neuhoﬀ 1956, Noordeloos & Kuyper 1999, Pilát 1951, Rauschert 1989, Singer 1986)

Lactarius acerrimus Britzelm.

Ref.: Focht 1974, Stropnik & al. 1988, Tortić 1968 b, Tortić & Lisiewska 1978, unp. Tortić

Exs.: CNF

• ***Lactarius acris*** (Bolton : Fr.) Gray= *Agaricus acris* Bolton : Fr. (1)

Ref.: Blagaić 1921, Lisiewska & Tortić 1990, Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić & Lisiewska 1978, unp. Tkalčec & Mešić, unp. Tortić, Schulzer 1857 HR? (1)

Exs.: CNF

(Lit.: Heilmann-Clausen & al. 1998)

• ***Lactarius albocarneus*** Britzelm.= *Lactarius glutinopallens* F.H. Møller et J.E. Lange (1)

Ref.: Lisiewska 1993 (1), Lisiewska & Tortić 1990 (1), Tortić 1973 (1), unp. Tkalčec & Mešić, unp. Tortić (1)

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius aurantiacus*** (Pers. : Fr.) Gray

= *Lactarius mitissimus* (Fr. : Fr.) Fr. (1)

Ref.: Barčić 1996 (1), Tortić 1966 a (1), Tortić 1966 b (1), Vouk & Pevalšek 1916 (1), unpubl. Tkalec & Mešić, unpubl. Tortić (1)

Exs.: CNF

(Lit.: Heilmann-Clausen & al. 1998)

• ***Lactarius azonites*** (Bull.) Fr.

Ref.: Focht 1974, Tortić 1968 b, Tortić & Lisiewska 1978, unpubl. Lisiewska, unpubl. Tkalec & Mešić, unpubl. Tortić

Exs.: CNF, POZM

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius blennius*** (Fr. : Fr.) Fr.

= *Lactarius blennius* (Fr. : Fr.) Fr. f. *virescens* J.E. Lange (1)

Ref.: Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1994, Tortić & Lisiewska 1978, unpubl. Tkalec & Mešić, unpubl. Tortić () (1)

Exs.: CNF

(Lit.: Heilmann-Clausen & al. 1998)

• ***Lactarius camphoratus*** (Bull.) Fr.

Ref.: Barčić 1982, Barčić 1996, Focht 1986, Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić 1973, Tortić & Lisiewska 1978, unpubl. Tkalec & Mešić, unpubl. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius chrysorrheus*** Fr.

Ref.: Barčić 1982, Barčić 1996, Focht 1974, Tortić 1968 b, Tortić & Lisiewska 1978, unpubl. Lisiewska, unpubl. Matočec, unpubl. Tkalec & Mešić, unpubl. Tortić

Exs.: CNF, POZM

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius circellatus*** Fr.

Ref.: Tortić 1968 b, Tortić & Lisiewska 1978, unpubl. Matočec, unpubl. Tkalec & Mešić, unpubl. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius controversus*** Pers. : Fr.

Ref.: Tortić 1968 b, unpubl. Tkalec & Mešić, unpubl. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius decipiens*** Quél.

Ref.: Focht 1986, Tortić & Lisiewska 1978, unp. Tkalčec & Mešić, unp. Tortić
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius deliciosus*** (L. : Fr.) Gray

= *Lactarius deliciosus* (L. : Fr.) Gray var. *pini* Vassilkov (1)
 Ref.: Barčič 1982, Barčič 1996, Blagaić 1931, Focht 1972, Focht 1979, Forenbacher 1915, Gjurašin 1898, Kranjčev 1995, Lorinser - Janda 1877, Schulzer & al. 1866, Škorić 1928, Vouk & Pevalek 1915, unp. Tkalčec & Mešić, unp. Tortić () (1)
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius deterrimus*** Gröger

Ref.: Kranjčev 1995, Lisiewska 1993, Lisiewska & Tortić 1990, Tortić 1993, Tortić 1994, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius evosmus*** Kühner et Romagn.

Ref.: unp. Tkalčec & Mešić
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

Lactarius fascians (Fr. : Fr.) Fr.

Ref.: Vouk & Pevalek 1916

• ***Lactarius flavidus*** Boud.

= *Lactarius aspidius* (Fr. : Fr.) Fr. var. *flavidus* (Boud.) Neuhoﬀ (1)
 Ref.: Tortić 1968 b, unp. Tkalčec & Mešić, unp. Tortić () (1)
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

Lactarius fuliginosus (Fr. : Fr.) Fr.

Ref.: Lisiewska & Tortić 1990, Tortić 1973, unp. Tortić
 Exs.: CNF, POZM

• ***Lactarius glaucescens*** (Crossl.) A. Pearson

- as *Lactarius pargamenus* (Sw. : Fr.) Fr. (1)
 Ref.: Focht 1979, Focht 1986 (rev.) (1), Tortić & Lisiewska 1978, unp. Lisiewska, unp. Matočec (rev.) (1), unp. Tkalčec & Mešić, unp. Tortić
 Exs.: CNF, POZM
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius glyciosmus*** (Fr. : Fr.) Fr.

Ref.: Tortić 1966 a, Tortić 1966 b, Tortić 1968 a, Tortić 1968 b, Tortić 1994, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF
(Lit.: Heilmann-Clausen & al. 1998)

***Lactarius hepaticus* Plowr.**

Ref.: Focht 1974

***Lactarius hysginus* (Fr. : Fr.) Fr.**

Ref.: Barčić 1996

• ***Lactarius lignyotus* Fr.**

Ref.: Tortić 1966 a, Tortić 1966 b, unpub. Tkalec & Mešić, unpub. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius mairei* Malençon**

= *Lactarius mairei* Malençon var. *zonatus* A. Pearson (1)

Ref.: Focht 1974 (1), unpub. Tkalec & Mešić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius pallidus* Pers. : Fr.**

Ref.: Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić & Lisiewska 1978, unpub. Lisiewska, unpub. Tkalec & Mešić, unpub. Tortić

Exs.: CNF, POZM

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius picinus* Fr.**

Ref.: Tortić 1966 a, Tortić 1966 b, unpub. Tkalec & Mešić, unpub. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius piperatus* (L. : Fr.) Pers.**

= *Agaricus piperatus* L. : Fr. (1)

Ref.: Blagaić 1921, Blagaić 1931, Božac 1982, Božac 1986, Božac 1989, Božac 1993, Focht 1972, Focht 1974, Lisiewska & Tortić 1990, Lorinser - Janda 1877, Mužic & Božac 1997, Schulzer & al. 1866, Škorić 1928, Tortić 1964, Tortić 1966 b, Tortić & Lisiewska 1978, Vouk & Pevalšek 1916, unpub. Matočec, unpub. Tkalec & Mešić, unpub. Tortić, Schulzer 1857 HR? (1)

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

***Lactarius piperatus* (L. : Fr.) Pers. sensu lato**

Incl.: *Lactarius glaucescens* (Crossl.) A. Pearson (1)

Lactarius piperatus (L. : Fr.) Pers. (2)

Ref.: Tortić 1966 a (2=1), Tortić 1973 (2=1), Tortić 1993

• ***Lactarius pterosporus* Romagn.**

Ref.: Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić & Lisiewska 1978, unpub. Tkalec & Mešić, unpub. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius pubescens*** (Schrad. →) Fr.

= *Lactarius blumii* Bon

- as *Lactarius cilicioides* (Fr. : Fr.) Fr. (rev.) (1)

Ref.: Božac 1982 (1), Božac 1984 (1), Božac 1986 (1), Božac 1989 (1), Božac 1993 (1), Tortić 1966 a, Tortić 1966 b, Tortić 1968 a, Tortić 1968 b, Tortić 1994, unpub. Tkalc̃ec & Mešić, unpub. Tortić, Focht 1979 HR?

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius pyrogalus*** (Bull. : Fr.) Fr.

= *Lactarius hortensis* Velen.

Ref.: Schulzer & al. 1866, Tortić 1966 a, Tortić 1966 b, Vouk & Pevalik 1916, unpub. Tkalc̃ec & Mešić, unpub. Tortić, Blagaić 1921 ?

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius quieticolor*** Romagn.

*• var. ***quieticolor***

Ref.: unpub. Tkalc̃ec & Mešić

Exs.: CNF

(Lit.: Basso 1999)

var. ***hemicyaneus*** (Romagn.) Basso

= *Lactarius hemicyaneus* Romagn. (1)

Ref.: Focht 1986 (1)

• ***Lactarius quietus*** (Fr. : Fr.) Fr.

Ref.: Škorić 1928, Tortić 1968 b, unpub. Matočec, unpub. Tkalc̃ec & Mešić, unpub. Tortić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

*• ***Lactarius rufus*** (Scop. : Fr.) Fr.

Ref.: unpub. Matočec, unpub. Tkalc̃ec & Mešić

Exs.: CNF

(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius salmonicolor*** R. Heim et Leclair

= *Lactarius salmoneus* R. Heim et Leclair (nom. illeg.) non *L. salmoneus* Peck (1)

= *Lactarius subsalmoneus* Pouzar (2)

Ref.: Focht 1979 (1), Lisiewska 1993, Lisiewska & Tortić 1990, Poštenjak 1983 (1), Tortić 1964 (1), Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1968 a (2), Tortić 1993, Tortić 1994, unpub. Lisiewska, unpub. Matočec, unpub. Tkalc̃ec & Mešić, unpub. Tortić () (2)

Exs.: CNF, POZM
(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius sanguifluus*** (Paulet) Fr.

Ref.: Božac 1982, Božac 1984, Božac 1986, Božac 1989, Božac 1993, Focht 1972, Focht 1974, Focht 1979, Focht 1981, Focht 1986, Mužic & Božac 1984, Mužic & Božac 1997, Vrščaj 1990, unp. Matočec, unp. Tkalčec & Mešić, unp. Tkalčec & Mešić, unp. Tortić
Exs.: CNF
(Lit.: Basso 1999)

• ***Lactarius scrobiculatus*** (Scop. : Fr.) Fr.

Ref.: Blagaić 1921, Lisiewska & Tortić 1990, Tortić 1966 a, Tortić 1966 b, Tortić 1993, Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić
Exs.: CNF
(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius semisanguifluus*** R. Heim et Leclair

Ref.: Focht 1979, Poštenjak 1983, Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1968 a, unp. Lisiewska, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić, Focht 1986 HR?
Exs.: CNF, POZM
(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

Lactarius serifluus (DC. : Fr.) Fr.

Ref.: Gjurašin 1898, Tortić 1968 b, Tortić & Lisiewska 1978, unp. Lisiewska, unp. Tortić
Exs.: CNF, POZM

• ***Lactarius subdulcis*** (Bull. : Fr.) Gray

= *Agaricus subdulcis* Bull. : Fr. (1)
Misappl.: *Lactarius serifluus* (DC. : Fr.) Fr. sensu J. Schröt. non DC. (2)
Ref.: Schulzer & al. 1866, Škorić 1928, Tortić 1966 a, Tortić 1973, Tortić 1993, Tortić & Lisiewska 1978, Vouk & Pevalek 1916 (2), unp. Tkalčec & Mešić, unp. Tortić, Schulzer 1857 HR? (1)
Exs.: CNF
(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius torminosus*** (Schaeff. : Fr.) Pers.

= *Agaricus torminosus* Schaeff. : Fr. (1)
Ref.: Gjurašin 1898, Lorinser - Janda 1877, Schulzer & al. 1866, Škorić 1928, Tortić 1966 a, Tortić 1966 b, Tortić 1968 a, Tortić 1994, Vouk & Pevalek 1915, Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić, Focht 1979 HR?, Schulzer 1857 HR? (1)
Exs.: CNF
(Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius turpis*** (Weinm.) Fr.

Misappl.: *Lactarius necator* (Bull. : Fr.) Pers. sensu auct. non Bull. (1)

Misappl.: *Lactarius plumbeus* (Bull. : Fr.) Gray sensu auct. non Bull. (2)
 Ref.: Lange 1974 (1), Škorić 1928 (2), unpub. Matočec (1), unpub. Tkalčec & Mešić, unpub. Tortić (1)
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

***Lactarius uvidus* (Fr. : Fr.) Fr.**

Ref.: Focht 1972, Focht 1974, Gjurašin 1898, Tortić 1968 b, Tortić & Lisiewska 1978, unpub. Lisiewska, unpub. Tortić
 Exs.: CNF, POZM

• ***Lactarius vellereus* (Fr. : Fr.) Fr.**

= *Lactarius albivellus* Romagn.
 Ref.: Barčić 1982, Barčić 1996, Božac 1982, Božac 1984, Božac 1986, Božac 1989, Božac 1993, Focht 1972, Focht 1974, Gjurašin 1898, Lisiewska & Tortić 1990, Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1993, Tortić & Lisiewska 1978, Vouk & Pevalšek 1916, unpub. Matočec, unpub. Tkalčec & Mešić, unpub. Tortić
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

***Lactarius violascens* (J. Otto : Fr.) Fr.**

Ref.: Škorić 1928

• ***Lactarius volemus* (Fr. : Fr.) Fr.**

= *Agaricus volemus* Fr. : Fr. (1)
 = *Lactarius lactifluus* (Schaeff.) Quél. (2)
 Ref.: Blagaić 1921, Blagaić 1931, Focht 1972, Focht 1974, Focht 1979, Gjurašin 1898 (2), Kranjčev 1979, Kranjčev 1986, Lisiewska & Tortić 1990, Schulzer & al. 1866, Škorić 1928, Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1993, Tortić & Lisiewska 1978, Vouk & Pevalšek 1916, unpub. Matočec, unpub. Tkalčec & Mešić, unpub. Tortić, Schulzer 1857 HR? (1)
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

• ***Lactarius zonarius* (Bull.) Fr.**

Ref.: unpub. Tkalčec & Mešić
 Exs.: CNF
 (Lit.: Basso 1999, Heilmann-Clausen & al. 1998)

***Lactarius zonarius* (Bull.) Fr. sensu lato**

Incl.: *Lactarius acerrimus* Britzelm.
Lactarius evosmus Kühner et Romagn. (1)
Lactarius insulsus (Fr. : Fr.) Fr. - nom. dub. (Heilmann-Clausen & al. 1998) (2)
 = *Agaricus insulsus* Fr. : Fr. (3)
Lactarius zonarioides Kühner et Romagn.
Lactarius zonarius (Bull.) Fr. (4)

= *Lactarius zonarius* (Bull.) Fr. var. *scrobipes* (Kühner et Romagn.) Bon (5)

Ref.: Focht 1972 (2), Focht 1974 (1)(2)(5), Focht 1979 (2)(4), Gjurašin 1898 (4), Schulzer 1879 b (4), Tortić 1968 b (2), Tortić & Lisiewska 1978 (2), unp. Lisiewska (2), unp. Matočec (4), unp. Tortić (2)(4), Schulzer 1857 HR? (3)

Exs.: CNF (2), POZM (2)

Annotation: Species in this group have been often interpreted in a few different senses (see Basso 1999, Heilmann-Clausen & al. 1998). We do not know which senses have been used by the authors of the quotes without revision.

***Russula* Pers.**

(Lit.: Arnolds & al. 1995, Bollmann & al. 1996, Bon 1988, Dennis & al. 1960, Einhellinger 1994, Galli 1996, Hansen & Knudsen 1992, Kreisel 1987, Kuyper & Vuure 1995, Moser 1983, Rauschert 1989, Romagnesi 1967, Romagnesi 1985, Sarnari 1998, Singer 1986, Vuure 1992)

•*Russula acrifolia* Romagn.

Misappl.: *Russula densifolia* (Secr.) ex Gillet sensu Jul. Schäff., auct. p. p. non Gillet (1)

Ref.: Focht 1986, Tortić 1966 a (1), Tortić 1966 b (1), unp. Tkalčec & Mešić, unp. Tortić (1)

Exs.: CNF

(Lit.: Romagnesi 1985, Sarnari 1998)

****Russula adulterina* Fr.**

Ref.: unp. Tortić

Exs.: CNF

***Russula adusta* (Pers. : Fr.) Fr.**

Ref.: Škorić 1928, Tortić 1973, Tortić & Lisiewska 1978, unp. Lisiewska, unp. Tortić

Exs.: POZM

***Russula aeruginea* Lindblad ex Fr.**

Ref.: Focht 1986, Škorić 1928, Vouk & Pevalek 1916

***Russula albonigra* (Krombh.) Fr.**

Ref.: Focht 1974, Lisiewska & Tortić 1990, Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, unp. Tortić

Exs.: CNF

***Russula alutacea* (Pers. : Fr.) Fr.**

Ref.: Focht 1974, Focht 1986, Lorinser - Janda 1877, Schulzer & al. 1866, Tortić & Lisiewska 1978, unp. Lisiewska, unp. Tortić, Schulzer 1857 HR?

Exs.: POZM

Russula amarissima Romagn. et J.-E. Gilbert

Ref.: Focht 1974

Russula amethystina Quél.

Ref.: Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, unsp. Tortić

Exs.: CNF

Russula amoena Quél. **sensu lato**Incl.: *Russula amoena* Quél.*Russula amoenicolor* Romagn.*Russula violeipes* Quél.Misappl.: *Russula mariae* Peck sensu Jul. Schäff. non Peck (1)

Ref.: Focht 1974 (1), Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1968 b (1), unsp. Tortić (1)

Exs.: CNF (1)

•*Russula amoenicolor Romagn.

Ref.: unsp. Tkalčec & Mešić, Focht 1986 HR?

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula aquosa Leclair

Ref.: Focht 1986

Russula aurantiaca (Jul. Schäff.) Jul. Schäff.

Ref.: Focht 1974, Focht 1986

•*Russula aurea* Pers.= *Russula aurata* (With.) Fr. (1)= *Russula aureocitrina* (Krombh.) ? (2)= *Russula esculenta* Pers. (3)

Ref.: Focht 1979 (1), Focht 1986 (1), Lorinser - Janda 1877 (1), Schulzer & al. 1866 () (2)(3), Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1968 b (1), Tortić & Lisiewska 1978 (1), unsp. Tkalčec & Mešić, unsp. Tortić (1), Schulzer 1857 HR? () (3)

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula aurora Krombh.= *Russula rosea* (Schaeff. →) Quél. (nom. illeg.) (1)= *Russula velutipes* Velen.

Ref.: Focht 1986 (1), Tortić 1968 b (1), Tortić & Lisiewska 1978 (1), unsp. Tortić (1)

Exs.: CNF

Russula badia Quél.

Ref.: Focht 1974, Tortić 1966 a, Tortić 1966 b, unsp. Tortić, Focht 1986 HR?

Exs.: CNF

Russula brunneoviolacea Crawshay

Ref.: Focht 1986

• ***Russula chloroides*** (Krombh.) Bres.= *Russula delica* Fr. var. *glaucophylla* Quél. (1)= *Russula delicula* Romagn. (2)

Ref.: Focht 1974, Focht 1986 () (1)(2), unp. Tkalčec & Mešić

Exs.: CNF

(Lit.: Hansen & Knudsen 1992, Romagnesi 1985)

Russula coerulea (Pers. →) Fr.

Ref.: Focht 1986, Schulzer & al. 1866, Schulzer 1857 HR?

Russula consobrina (Fr. : Fr.) Fr.

Ref.: Focht 1986, unp. Matočec

Russula curtipes F.H. Møller et Jul. Schöff.

Ref.: Focht 1974

• ***Russula cyanoxantha*** (Schaeff.) Fr.

Ref.: Barčić 1982, Barčić 1996, Blagaić 1921, Focht 1979, Focht 1986,

Gjurašin 1898, Kranjčev 1979, Lisiewska & Tortić 1990, Tortić 1964,

Tortić 1966 a, Tortić 1966 b, Tortić 1993, Tortić & Lisiewska 1978,

Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF

(Lit.: Romagnesi 1985)

• ***Russula delica*** Fr.= *Russula deliciosa* (Vaill.) ex J. Schröt. (nom. illeg.) (1)Misappl.: *Russula delica* Fr. var. *elephantina* (Fr.) Melzer et Zvára sensu

Melzer et Zvára non Fr. (2)

Ref.: Focht 1974, Focht 1986, Jelić & Tortić 1973, Lisiewska & Tortić

1990, Schulzer 1882, Škorić 1928 (1), Tortić 1964, Tortić 1966 a, Tortić

1966 b, Tortić & Lisiewska 1978, Vouk & Pevalek 1915 (1), Vouk &

Pevalek 1916 (1), unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić,

Focht 1986 HR? (2)

Exs.: CNF

(Lit.: Romagnesi 1985)

• ***Russula densifolia*** (Secr.) ex Gillet

Ref.: unp. Tkalčec & Mešić

Exs.: CNF

(Lit.: Hansen & Knudsen 1992, Romagnesi 1985)

• ***Russula emetica*** (Schaeff. : Fr.) Pers.

Ref.: Barčić 1989, Barčić 1996, Blagaić 1921, Blagaić 1931, Gjurašin

1898, Lisiewska & Tortić 1990, Škorić 1928, Tortić 1966 a, Vouk &

Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF

(Lit.: Romagnesi 1985)

var. *silvestris* Singer
 = *Russula silvestris* (Singer) Reumaux
 Ref.: Focht 1986

***Russula fellea* (Fr. : Fr.) Fr.**

Ref.: Focht 1974, Focht 1986, Tortić 1973, Tortić & Lisiewska 1978,
 unp. Tortić
 Exs.: CNF

***Russula flavispora* (J. Blum) ex Romagn.**

Ref.: Focht 1986

• ***Russula foetens* Pers. : Fr.**

Ref.: Blagaić 1931, Focht 1974, Focht 1986, Schulzer 1882, Schulzer &
al. 1866, Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1968 a, Tortić
 1993, Tortić & Lisiewska 1978, Vouk & Pevalek 1916, unp. Tkalčec &
 Mešić, unp. Tortić, Schulzer 1857 HR?

Exs.: CNF

(Lit.: Romagnesi 1985)

***Russula fragilis* (Pers. : Fr.) Fr.**

= *Russula emetica* (Schaeff. : Fr.) Pers. var. *fragilis* (Pers. : Fr.) Quél. (1)

= *Russula nivea* (Pers.) ? (2)

Ref.: Focht 1979, Gjurašin 1898 (1), Lorinser - Janda 1877, Schulzer
 1882, Schulzer & *al.* 1866 () (2), Škorić 1928, Vouk & Pevalek 1916,
 unp. Tortić

Exs.: CNF

***Russula gilva* Zvára**

Ref.: Focht 1986

• ***Russula grata* Britzelm.**

= *Russula laurocerasi* Melzer (1)

= *Russula laurocerasi* Melzer var. *fragrans* (Romagn.) Kuyper et Vuure
 (= var. *grata*)

Ref.: Lisiewska & Tortić 1990 (1), Tortić 1993 (1)

• var. ***laurocerasi* (Melzer) Rauschert**

= *Russula laurocerasi* Melzer var. *laurocerasi*

Ref.: Tortić 1966 a (1), Tortić 1968 b (1), Tortić & Lisiewska
 1978 (1), unp. Tkalčec & Mešić, unp. Tortić (1)

Exs.: CNF

(Lit.: Romagnesi 1985)

***Russula grisea* (Pers. →) Fr.**

= *Russula palumbina* Quél. (1)

= *Russula suavis* Schulzer (2)

Ref.: Blagaić 1931, Focht 1974, Schulzer 1881 (2), Schulzer 1885 (1)
 Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, unp. Tortić

Exs.: CNF

• ***Russula heterophylla*** (Fr.) Fr.

Ref.: Tortić 1966 a, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić, Schulzer 1857 HR?

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula ilicis Romagn., Chevassut et Privat

Ref.: Focht 1986

Russula insignis Quél.

Misappl.: *Russula livescens* (Batsch) Quél. sensu Bres. non Batsch (1)

Ref.: Focht 1986 (1)

Russula integra (L.) Fr.

Ref.: Focht 1974, Focht 1986, Lorinser - Janda 1877, Schulzer 1882,

Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Vouk & Pevalek 1916, unp.

Tortić, Schulzer & al. 1866 ?

Exs.: CNF

Russula laeta F.H. Møller et Jul. Schäff.

Ref.: Focht 1974, Focht 1979, Focht 1986 HR?

Russula lateritia Quél.

Ref.: Focht 1986

Russula lilacea Quél.

= *Russula lilacea* Quél. var. *carnicolor* Bres. (1)

Ref.: Focht 1986 (1), Gjurašin 1898, Tortić 1968 b, unp. Tortić

Exs.: CNF

• ***Russula luteotacta*** Rea

Ref.: Focht 1986, Tortić 1966 a, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula maculata Quél.

Ref.: Focht 1974, Focht 1986

Russula mairei Singer

Ref.: Focht 1974, Lisiewska 1993, Lisiewska & Tortić 1990, Tortić

1973, Tortić & Lisiewska 1978, unp. Lisiewska, unp. Tortić

Exs.: CNF, POZM

*• ***Russula medullata*** Romagn.

Ref.: unp. Tkalčec & Mešić, Focht 1986 HR?

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula melliolens Quél.

Ref.: Tortić 1968 b, unp. Tortić, Focht 1986 HR?

Exs.: CNF

***Russula mustelina* Fr.**

Ref.: Tortić 1966 a

• ***Russula nigricans* (Bull. →) Fr.**= *Russula nigrescens* (Krombh.) Schulzer (1)

Ref.: Focht 1974, Focht 1986, Kranjčev 1991, Kranjčev 1995, Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić & Lisiewska 1978, Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić, Schulzer 1857 HR? (1)

Exs.: CNF

(Lit.: Romagnesi 1985)

• ***Russula nitida* (Pers. : Fr.) Fr.**

Ref.: Focht 1986, unp. Tkalčec & Mešić

Exs.: CNF

(Lit.: Romagnesi 1985)

***Russula ochroleuca* Pers.**

Ref.: Lisiewska & Tortić 1990, Schulzer & al. 1866, Tortić 1973, Vouk & Pevalek 1916, unp. Tortić, Schulzer 1857 HR?

Exs.: CNF

***Russula olivacea* (Schaeff.) Pers.**

Ref.: Focht 1974, Focht 1979, Focht 1986, Škorić 1928, Tortić 1968 b, Vouk & Pevalek 1916, unp. Lisiewska

Exs.: CNF, POZM

***Russula paludosa* Britzelm.**

Ref.: Tortić & Lisiewska 1978

***Russula pectinata* Fr.**

Ref.: Focht 1974, Focht 1986, Škorić 1928, Vouk & Pevalek 1916

*• ***Russula pectinatoides* Peck**Misappl.: *Russula pectinata* Fr. sensu Jul. Schäff., auct. p. p. non Fr. (1)

Ref.: unp. Tkalčec & Mešić, unp. Tortić (1), Focht 1986 HR?

Exs.: CNF

(Lit.: Romagnesi 1985, Sarnari 1998)

***Russula persicina* Krombh.**Misappl.: *Russula rubicunda* Quél. sensu Jul. Schäff., auct. p. p. non Quél. (1)

Ref.: Focht 1974 (1), Focht 1979 (1), Focht 1986 (1)

***Russula postiana* Romell**Misappl.: *Russula olivascens* Pers. sensu Bres. (1)

Ref.: Focht 1986 (1)

***Russula pseudodelica* J.E. Lange sensu lato**Incl.: *Russula pallidospora* (J. Blum) ex Romagn.Misappl.: *Russula pseudodelica* J.E. Lange sensu Jul. Schäff. non J.E. Lange

Russula pseudodelica J.E. Lange (1)

Ref.: Focht 1974 (1), Focht 1986 HR? (1)

Annotation: Author of the records for Croatia does not make distinction between these two species.

***Russula puellaris* Fr.**

= *Russula puellaris* Fr. var. *leprosa* Bres (1)

Ref.: Focht 1974, Saccardo 1887 HR? (1)

***Russula queletii* Fr.**

Ref.: Lisiewska 1993, Lisiewska & Tortić 1990, Tortić 1966 a, Tortić 1966 b, Tortić 1994, unp. Tortić

Exs.: CNF

***Russula risigallina* (Batsch) Sacc.**

= *Russula chamaeleontina* Fr. (1)

= *Russulina chamaeleontina* (Fr.) ? (2)

= *Russula lutea* (Huds. : Fr.) Gray var. *armeniaca* (Cooke) ? (3)

Ref.: Focht 1974 (1), Tortić & Lisiewska 1978 (1), Vouk & Pevalek 1916 (2), Focht 1986 HR? (3)

Exs.: CNF

Russula risigallina* (Batsch) Sacc. *sensu lato

Incl.: *Russula acetolens* Rauschert

Russula risigallina (Batsch) Sacc.

= *Russula lutea* (Huds. : Fr.) Gray (nom. dub., nom. ambig. - Rauschert 1989) (1)

Ref.: Gjurašin 1898 (1), Lisiewska & Tortić 1990 (1), Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1968 b (1), unp. Tortić (1)

Exs.: CNF

***Russula romellii* Maire**

Ref.: Focht 1979, Focht 1986

• ***Russula rosea* Pers.**

= *Russula lepida* Fr. (1)

= *Russula rosacea* (Pers.) Gray (nom. illeg.) (2)

Misappl.: *Russula lepida* Fr. f. *lactea* (Pers.) F.H. Møller et Jul. Schäff. sensu F.H. Møller et Jul. Schäff. non Pers. (3)

Ref.: Blagaić 1921 b (1), Focht 1986 (1), Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1968 b (1), Tortić & Lisiewska 1978 (1)(3), Vouk & Pevalek 1916 (2), unp. Lisiewska (2), unp. Tkalčec & Mešić, unp. Tortić (1)(3), Focht 1979 HR? (1)

Exs.: BEO (1), CNF, POZM (2)

(Lit.: Romagnesi 1985)

***Russula rubra* (Lam. ex Fr. : Fr.) Fr.**

Ref.: Gjurašin 1898, Lorinser - Janda 1877, Schulzer & al. 1866, Vouk & Pevalek 1916

Russula rubroalba (Singer) Romagn.

Ref.: Focht 1986

Russula sanguinaria (Bull. → Schumach.) Rauschert= *Russula sanguinea* (Bull. →) Fr. (1)

Ref.: Blagaić 1921 (1), Focht 1972 (1), Focht 1974 (1), Mužic & Božac 1984 (1), Vouk & Pevalek 1915 (1)

Russula sardonio Fr.= *Russula sardonio* Fr. var. *mellina* Melzer (1)= *Russula drimeia* Cooke

Ref.: Focht 1986 (1), Škorić 1928

Russula seperi Dupain

Ref.: Focht 1986

Russula solaris Ferd. et Winge

Ref.: Focht 1986, Lisiewska 1993, Lisiewska & Tortić 1990, unp. Tortić

Exs.: CNF

• ***Russula sororia*** (Fr.) Romell

Ref.: Focht 1974, Focht 1986, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF

(Lit.: Romagnesi 1985)

Russula torulosa Bres.

Ref.: Božac 1989, Božac 1993, Focht 1974, Focht 1986

Russula undulata Velen.= *Russula atropurpurea* (Krombh.) Britzelm. (comb. illeg.) non *R. atropurpurea* Peck (1)= *Russula krombholzii* ShafferMisappl.: *Russula nauseosa* (Pers.) Fr. sensu Bres. non sensu Fr. (2)

Ref.: Focht 1974 (2), Focht 1986 (2), Tortić 1968 b (1), unp. Tortić (1)

Exs.: CNF

Russula urens Romell

Ref.: Focht 1974

Russula velenovskyi Melzer et Zvára

Ref.: Focht 1986, Lisiewska & Tortić 1990, unp. Tortić

var. ***cruentata*** (Quél. et Schulzer) J. Blum ex Bon= *Russula cruentata* Quél. et Schulzer (1)

Ref.: Saccardo 1887 (1), Schulzer 1885 (1)

• ***Russula vesca*** Fr.

Ref.: Focht 1974, Lisiewska & Tortić 1990, Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, Tortić & Lisiewska 1978, Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF

(Lit.: Romagnesi 1985)

***Russula veteriosa* Fr.**

Ref.: Focht 1974, Focht 1986

Russula violacea* Quél. *sensu latoIncl.: *Russula cavipes* Britzelm. (1)Misappl.: *Russula violacea* Quél. *sensu* Jul. Schäff., auct. p. p. non Quél.*Russula violacea* Quél. (2)

Ref.: Gjurašin 1898 (2), Tortić 1966 b (2), Tortić 1968 b (2), Tortić & Lisiewska 1978 (2), unp. Tortić (2), Tortić 1966 a ? (1)(2)

Exs.: CNF (1)

Annotation: The authors of the records for Croatia could easily have misapplied name *Russula violacea* to species *R. cavipes*.**•*Russula violeipes* Quél.**= *Russula amoena* Quél. var. *violeipes* (Quél.) Singer (1)

Ref.: Focht 1972 (1), Focht 1986, unp. Lisiewska, unp. Matočec, unp. Tkalčec & Mešić

Exs.: CNF, POZM

(Lit.: Romagnesi 1985)

•*Russula virescens* (Schaeff.) Fr.= *Russula aeruginosa* (Pers.) Krombh. (1)

Ref.: Blagaić 1931, Focht 1981 a, Jelić & Tortić 1973, Kranjčev 1979, Kranjčev 1986 b, Lorinser - Janda 1877, Schulzer & al. 1866 (1), Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić & Lisiewska 1978, Vouk & Pevalek 1916, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić, Focht 1979 HR?, Focht 1986 HR?, Schulzer 1857 HR?

Exs.: BEO, CNF

(Lit.: Romagnesi 1985)

****Russula viscida* Kudřna**

Ref.: unp. Tortić

Exs.: CNF

***Russula xerampelina* (Schaeff.) Fr.**= *Russula xerampelina* (Schaeff.) Fr. var. *erythropus* (Pelt.) Konrad et J. Favre (1)- as *Russula xerampelina* (Schaeff.) Fr. var. *xerampelina* (2)

Ref.: Barčić 1982, Lisiewska & Tortić 1990 (2), Schulzer & al. 1866, Tortić 1966 a () (1), Tortić & Lisiewska 1978, unp. Tortić () (2), Schulzer 1857 HR?

Russula xerampelina* (Schaeff.) Fr. *sensu lato

Ref.: Barčić 1996, Tortić 1993

MOST PROBABLY FOUND IN THE TERRITORY OF CROATIA***Russula amoena* Quél.**

Ref.: Focht 1986 HR?

Russula anatina Romagn.

Ref.: Focht 1986 HR?

Russula citrinochlora Singer

Ref.: Focht 1986 HR?

Russula galochroa (Fr.) Fr.

Ref.: Focht 1986 HR?

Russula odorata Romagn.

Ref.: Focht 1986 HR?

Russula pseudointegra Arnould et Goris

Ref.: Focht 1986 HR?

Russula straminea Malençon

Ref.: Focht 1986 HR?

Russula vinosobrunnea (Bres.) Romagn.

Ref.: Focht 1986 HR?

Family **Strophariaceae** Singer et A.H. Sm.

Hypholoma (Fr.) P. Kumm.

= *Naematoloma* P. Karst.

(Lit.: Arnolds & al. 1995, Bas & al. 1999, Bollmann & al. 1996, Fries 1821, Hansen & Knudsen 1992, Kreisel 1987, Moser 1983, Singer 1986, Watling & Gregory 1987)

• ***Hypholoma capnoides*** (Fr. : Fr.) P. Kumm.

= *Naematoloma capnoides* (Fr. : Fr.) P. Karst. (1)

= *Psilocybe capnoides* (Fr. : Fr.) Noordel.

Ref.: Tortić 1966 a (1), Tortić 1966 b (1), Tortić 1989, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić () (1), Focht 1979 HR? (1)

Exs.: CNF

(Lit.: Bas & al. 1999, Moser 1983)

Hypholoma ericaeum (Pers. : Fr.) Kühner

= *Psilocybe ericaea* (Pers. : Fr.) Quél. (1)

Ref.: Gjurašin 1898 (1)

• ***Hypholoma fasciculare*** (Huds. : Fr.) P. Kumm.

= *Agaricus fascicularis* Huds. : Fr. (1)

= *Naematoloma fasciculare* (Huds. : Fr.) P. Karst. (2)

= *Psilocybe fascicularis* (Huds. : Fr.) Noordel.

Ref.: Barčić 1982, Barčić 1996, Blagaić 1921, Blagaić 1931, Focht 1974 (2), Forenbacher 1915, Jelić & Tortić 1973, Lisiewska & Tortić 1990, Schulzer 1882 (1), Schulzer & al. 1866 (1), Škorić 1928, Vouk & Pevalék 1915, Vouk & Pevalék 1916, Tortić 1964 (2), Tortić 1966 a (2), Tortić 1966 b (2), Tortić 1968 a, Tortić 1989, Tortić 1993, Tortić 1994,

TortiĆ & Lisiewska 1978, Urbani 1946, unp. Matočec, unp. Tkalčec & Mešić, unp. TortiĆ () (2), Schulzer 1857 HR? (1)
 Exs.: CNF
 (Lit.: Bas & al. 1999, Moser 1983)

• ***Hypholoma lateritium*** (Schaeff. : Fr.) J. Schröt.

= *Agaricus lateritius* Schaeff. : Fr. (1)
 = *Psilocybe lateritia* (Schaeff. : Fr.) Noordel.
 = *Hypholoma sublateritium* (Fr.) Quél. (2)
 = *Naematoloma sublateritium* (Fr.) P. Karst. (3)
 Ref.: Blagaić 1921 (2), Focht 1979 (3), Focht 1983 (3), Gjurašin 1898 (2), Jelić & TortiĆ 1973 (2), Schulzer 1882 (1), Schulzer & al. 1866 (1), TortiĆ 1964 (3), TortiĆ 1966 a (3), TortiĆ 1966 b (3), TortiĆ 1989 (2), TortiĆ & Lisiewska 1978 (2), Vouk & Pevalék 1915, unp. Matočec (2), unp. Tkalčec & Mešić, unp. TortiĆ (2)(3), Schulzer 1857 HR? (1)
 Exs.: CNF
 (Lit.: Bas & al. 1999, Moser 1983, Watling & Gregory 1987)

• ***Hypholoma marginatum*** (Pers.) J. Schröt.

= *Psilocybe marginata* (Pers.) Noordel.
 = *Hypholoma dispersum* (Fr. → Quél. (1)
 = *Naematoloma dispersum* (Fr. → Quél.) P. Karst. (2)
 Ref.: TortiĆ 1966 a (2), TortiĆ 1966 b (2), TortiĆ 1973 (1), unp. Tkalčec & Mešić, unp. TortiĆ (1)(2)
 Exs.: CNF
 (Lit.: Bas & al. 1999, Moser 1983, Watling & Gregory 1987)

Kuehneromyces Singer et A.H. Sm.

(Lit.: Arnolds & al. 1995, Bollmann & al. 1996, Hansen & Knudsen 1992, Jacobsson 1991, Kreisel 1987, Moser 1983, Singer 1986)

• ***Kuehneromyces mutabilis*** (Scop. : Fr.) Singer et A.H. Sm.

= *Agaricus mutabilis* Scop. : Fr. (1)
 = *Pholiota mutabilis* (Scop. : Fr.) P. Kumm. (2)
 Ref.: Blagaić 1921 (2), Blagaić 1931 (2), Božac 1982 (2), Božac 1984, Božac 1986, Božac 1989 () (2), Božac 1993 () (2), Focht 1986, Kranjčev 1979 (2), Kranjčev 1986, Škorić 1928 (2), TortiĆ 1964, TortiĆ 1966 a, TortiĆ 1966 b, TortiĆ 1968 a, TortiĆ 1979, TortiĆ 1989, TortiĆ 1993, TortiĆ 1994, Vouk & Pevalék 1916 (2), unp. Matočec, unp. Tkalčec & Mešić, unp. TortiĆ 1970, unp. TortiĆ () (2), Schulzer 1857 HR? (1)
 Exs.: BEO, CNF
 (Lit.: Bas & al. 1999, Jacobsson 1991, Moser 1983)

Melanotus Pat.

(Lit.: Arnolds & al. 1995, Bas & al. 1999, Bollmann & al. 1996, Moser 1983, Singer 1986, Watling & Gregory 1987)

Melanotus horizontalis (Bull. : Fr.) P.D. Orton
 = *Agaricus horizontalis* Bull. : Fr. (1)
 = *Phaeomarasmius horizontalis* (Bull. : Fr.) Kühner
 = *Psilocybe horizontalis* (Bull. : Fr.) Vellinga et Noordel.
 Ref.: Schulzer & al. 1866 (1)

Phaeomarasmius Scherff.
 (Lit.: Arnolds & al. 1995, Hansen & Knudsen 1992,
 Kreisel 1987, Moser 1983, Pilát 1951, Singer 1986)

Phaeomarasmius erinaceus (Fr. : Fr.) Kühner
 = *Naucoria erinacea* (Fr. : Fr.) Gillet (1)
 Ref.: Focht 1974 (1)

Pholiota (Fr.) P. Kumm.
 (Lit.: Arnolds & al. 1995, Bas & al. 1999, Bollmann & al. 1996,
 Hansen & Knudsen 1992, Holec 2001, Jacobsson 1991, Kreisel
 1987, Moser 1983, Singer 1986)

• ***Pholiota alnicola*** (Fr. : Fr.) Singer
 = *Naucoria amara* (Bull.) ? (1)
 = *Pholiota salicicola* (Fr.) Bon
 Ref.: Vouk & Pevalek 1916 (1), unp. Tkalčec & Mešić
 Exs.: CNF
 (Lit.: Jacobsson 1991)

• ***Pholiota astragalina*** (Fr. : Fr.) Singer
 Ref.: Tortić 1966 a, Tortić 1993, unp. Lisiewska, unp. Tkalčec & Mešić,
 unp. Tortić
 Exs.: CNF, POZM
 (Lit.: Bas & al. 1999, Jacobsson 1991)

• ***Pholiota aurivella*** (Batsch : Fr.) P. Kumm.
 = *Agaricus aurivellus* Batsch : Fr. (1)
 Ref.: Blagaić 1931, Schulzer & al. 1866 (1), Škorić 1938, Tortić 1966 a,
 Tortić 1966 b, Tortić 1968 b, Tortić 1989, unp. Tkalčec & Mešić, unp.
 Tortić
 Exs.: CNF
 (Lit.: Hansen & Knudsen 1992, Jacobsson 1991)

Pholiota flavida (Schaeff. : Fr.) Singer
 = *Agaricus flavidus* Schaeff. : Fr. (1)
 Ref.: Tortić 1973, unp. Tortić, Schulzer 1857 HR? (1)
 Exs.: CNF

• ***Pholiota gummosa*** (Lasch : Fr.) Singer
 Ref.: Barčić 1982, Barčić 1996, Tortić 1968 b, Tortić & Lisiewska 1978,
 unp. Tkalčec & Mešić, unp. Tortić

Exs.: CNF
(Lit.: Bas & al. 1999, Jacobsson 1991)

• ***Pholiota highlandensis*** (Peck) Quadr.

= *Pholiota carbonaria* (Fr. : Fr.) Singer (comb. illeg.) non *P. carbonaria* A.H. Sm. (1)
Ref.: Božac 1984 (1), unp. Tkalčec & Mešić, unp. Tortić (1)
Exs.: CNF
(Lit.: Bas & al. 1999, Jacobsson 1991)

• ***Pholiota lenta*** (Pers. : Fr.) Singer

Ref.: Božac 1984, Božac 1986, Božac 1989, Božac 1993, Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, unp. Matočec, unp. Tkalčec & Mešić, unp. Tortić
Exs.: CNF
(Lit.: Jacobsson 1991)

• ***Pholiota lubrica*** (Pers. : Fr.) Singer

= *Pholiota decussata* (Fr.) Moser (1)
Ref.: Tortić 1966 a (1), Tortić 1966 b (1), unp. Tkalčec & Mešić, unp. Tortić (1)
Exs.: CNF
(Lit.: Jacobsson 1991)

Pholiota lucifera (Lasch) Quél.

Ref.: Tortić 1966 a, Tortić 1966 b, Tortić 1968 b, unp. Tortić
Exs.: CNF

• ***Pholiota populnea*** (Pers. : Fr.) Kuyper et Tjall.-Beuk.

= *Pholiota destruens* (Brond.) Gillet (1)
Ref.: Blagaić 1923 (1), Focht 1986 (1), Vouk & Pevalek 1915 (1), unp. Tkalčec & Mešić
Exs.: CNF
(Lit.: Bas & al. 1999, Holec 2001, Jacobsson 1991)

Pholiota spumosa (Fr. : Fr.) Singer

Ref.: Tortić 1968 b, unp. Tortić
Exs.: CNF

• ***Pholiota squarrosa*** (Weigel : Fr.) P. Kumm.

= *Agaricus squarrosus* Weigel : Fr. (1)
Ref.: Kišpatić 1950, Lisiewska & Tortić 1990, Schulzer & al. 1866 (1), Tortić 1964, Tortić 1966 a, Tortić 1966 b, Tortić 1989, unp. Lisiewska, unp. Tkalčec & Mešić, unp. Tortić, Schulzer 1857 HR? (1)
Exs.: CNF, POZM
(Lit.: Bas & al. 1999, Jacobsson 1991)

• ***Pholiota tuberculosa*** (Schaeff. : Fr.) P. Kumm.

= *Agaricus curvipes* Pers. (1)
Ref.: Schulzer & al. 1866 (1), unp. Tkalčec & Mešić

Exs.: CNF
(Lit.: Holec 2001, Jacobsson 1991)

***Psilocybe* (Fr.) P. Kumm.**

(Lit.: Arnolds & al. 1995, Bas & al. 1999, Bollmann & al. 1996, Hansen & Knudsen 1992, Høiland 1978, Kreisel 1987, Moser 1983, Singer 1986, Watling & Gregory 1987)

***Psilocybe merdaria* (Fr. : Fr.) Ricken**

Ref.: Focht 1974

****Psilocybe palmigena* (Berk. et M.A. Curtis) Sacc.**

Ref.: unpubl. Veselský

Exs.: CNF

***Psilocybe semilanceata* (Fr.) P. Kumm.**

Ref.: Torti 1973

Exs.: PRM

***Stropharia* (Fr.) Qué.**

(Lit.: Arnolds & al. 1995, Bas & al. 1999, Bollmann & al. 1996, Hansen & Knudsen 1992, Kreisel 1987, Moser 1983, Pilát 1951, Singer 1986, Watling & Gregory 1987)

•*Stropharia aeruginosa* (Curtis : Fr.) Qué.

= *Agaricus aeruginosus* Curtis : Fr. (1)

= *Psilocybe aeruginosa* (Curtis : Fr.) Noordel.

- as *Agaricus "ceruginosus"* Pers. (2)

Ref.: Schulzer 1857 (1), Schulzer & al. 1866 (2) + Schulzer 1867 (1), Torti 1964, Torti 1966 a, Torti 1966 b, Torti & Lisiewska 1978, unpubl. Matošec, unpubl. Tkalec & Mešić, unpubl. Torti

Exs.: CNF

(Lit.: Bas & al. 1999, Watling & Gregory 1987)

***•*Stropharia caerulea* Kreisel**

= *Psilocybe caerulea* (Kreisel) Noordel.

Misappl.: *Stropharia cyanea* (Bolton) Tuomikoski sensu auct. non Bolton

(sensu Bolton = *S. aeruginosa* - Kreisel 1987)

Ref.: unpubl. Matošec, unpubl. Tkalec & Mešić

Exs.: CNF

(Lit.: Bas & al. 1999, Watling & Gregory 1987)

•*Stropharia coronilla* (Bull. : Fr.) Qué.

= *Psilocybe coronilla* (Bull. : Fr.) Noordel.

Ref.: Focht 1974, Gjurasi 1898, Torti 1964, unpubl. Matošec, unpubl. Tkalec & Mešić, unpubl. Torti

Exs.: CNF
(Lit.: Bas & al. 1999, Moser 1983)

•***Stropharia rugosoannulata*** Farl.

Ref.: Focht 1986, unp. Tkalčec & Mešić
Exs.: CNF
(Lit.: Bas & al. 1999, Moser 1983)

Stropharia semiglobata (Batsch : Fr.) Quél.

= *Agaricus semiglobatus* Batsch : Fr. (1)
= *Anellaria semiglobata* (Batsch : Fr.) ? (2)
= *Psilocybe semiglobata* (Batsch : Fr.) Noordel.
= *Agaricus mamillatus* Schulzer (3)
= *Stropharia mamillata* (Schulzer) ? (4)
Ref.: Focht 1974, Schulzer & al. 1866 (1), Tortić 1966 a, Tortić 1966 b,
Tortić 1968 b, Vouk & Pevalék 1915 (2), unp. Tortić, Fries 1874 HR?
(3), Kalchbrenner & Schulzer 1873-1877 HR? (3), Saccardo 1887 HR?
(4), Schulzer 1857 HR? (1)
Exs.: CNF

•***Stropharia squamosa*** (Pers. : Fr.) Quél.

= *Agaricus squamosus* Pers. : Fr. (1)
= *Psilocybe squamosa* (Pers. : Fr.) P.D. Orton
Ref.: Božac 1984, Tortić 1968 b, unp. Tortić, Schulzer 1857 HR? (1)
Exs.: CNF

*•var. ***thrausta*** (Schulzer) Massee

= *Psilocybe squamosa* (Pers. : Fr.) P.D. Orton var. *thrausta*
(Schulzer) Guzmán
Ref.: unp. Tkalčec & Mešić
Exs.: CNF
(Lit.: Bas & al. 1999)

EXCLUDED RECORDS

Family **Crepidotaceae** (S. Imai) Singer

Agaricus albatus Schulzer = ? [*Crepidotus*]

Ref.: Schulzer 1877, Schulzer & al. 1866

Agaricus furfuraceus Pers. : Fr. var. ***sporisoris-luteis*** Schulzer = ?

Ref.: Schulzer 1879 a

Agaricus pellucidus Bull. : Fr. var. ***perdebilis*** Schulzer = ? [*Tubaria*]

Ref.: Schulzer 1879 a

Crepidotus subinteger (Schulzer) Sacc. - nom. dub. (Pilát 1948)

= *Agaricus subinteger* Schulzer (1)
Ref.: Pilát 1948, Saccardo 1887, Schulzer 1882 (1)

***Pleurotellus chioneus* (Pers.) Kühner**

Ref.: Focht 1974

Annotation: Modern authors disagree about the interpretation of this taxon. Some authors consider it an autonomous species (Kreisel 1987, Moser 1983, Singer 1986), some consider it a synonym of *Crepidotus epibryus* (Fr. : Fr.) Quél. (Arnolds & al. 1995), while some consider it a doubtful species (Dennis & al. 1960, Norstein 1990).

Family **Russulaceae** Roze ex Lotsy***Lactarius argematus* (Fr. : Fr.) Fr. var. *connatus* Bres. et Schulzer = ?**

Ref.: Saccardo 1887, Schulzer 1885

***Lactarius badioalbus* Schulzer = ?**

Ref.: Schulzer 1879 a

***Lactarius camphoratus* (Bull.) Fr. var. *inolidus* Schulzer = ?**

Ref.: Schulzer 1881

***Lactarius candiculus* Schulzer = ?**

Ref.: Schulzer 1879 a

***Lactarius cilicioides* (Fr. : Fr.) Fr. (rev.) (1)**

Ref.: Focht 1972, unp. Matočec

Annotation: This epithet is interpreted in two different senses (for *Lactarius citriolens* Pouzar and for *L. pubescens* Fr. - see Basso 1999). Therefore, without revision it is not possible to know which species the authors have found.

***Lactarius cyathula* (Fr.) Fr. - nom. ambig.**

Ref.: Vouk & Pevalék 1916

***Lactarius flexuosus* (Pers. : Fr.) Gray**

Ref.: Schulzer & al. 1866 ?

Annotation: The author himself doubted his identification.

***Lactarius medius* Schulzer = ?**

Ref.: Schulzer 1881

***Lactarius theiogalus* (Bull. : Fr.) Gray**= *Agaricus theiogalus* Bull. : Fr. (1)

Ref.: Gjurašin 1898, Kišpatić 1950, Schulzer 1857 (1), Schulzer & al. 1866, unp. Tortić

Annotation: This species has been interpreted in different senses (see Basso 1999, Heilmann-Clausen & al. 1998). We do not know which sense has been used by the authors of the records.

***Lactarius umbrinus* (Pers.) Fr.**

Ref.: Škorić 1928

Annotation: This is a doubtful species (Dennis & al. 1960).

***Russula alba* Schulzer = ?**

Ref.: Schulzer 1870

***Russula aurantiolutea* Schulzer - nom. nud.**

Ref.: Schulzer & al. 1866

***Russula basifurcata* Peck**

Ref.: Focht 1974

Annotation: This species has been interpreted in different senses (see Sarnari 1998). We do not know which sense has been used by the author of the record.

***Russula bifida* (Bull.) J. Schröt.**

Ref.: Škorić 1928

Annotation: Romagnesi (1967) considers that it could be identical with *Russula heterophylla* (Fr.) Fr.

***Russula bresadolae* Schulzer**

Ref.: Saccardo 1887, Schulzer 1885

Annotation: Romagnesi (1967) considers that it could be identical with *Russula undulata* Velen.

***Russula cinnamomicolor* Krombh.**

Ref.: Schulzer & al. 1866, Schulzer 1857 HR?

Annotation: It is a doubtful species (see Romagnesi 1967, Sarnari 1998).

***Russula depallens* (Pers. : Fr.) Fr.**

Ref.: Škorić 1928, Vouk & Pevalek 1916

Annotation: This epithet has been interpreted in different senses (see Romagnesi 1967). We do not know which sense has been used by the authors of the quotes.

***Russula diabolica* Schulzer - nom. nud.**

Ref.: Schulzer & al. 1866

***Russula furcata* (Lam. : Fr.) Fr.**

Ref.: Blagaić 1931

Annotation: This epithet has been interpreted in different senses (see Romagnesi 1967). We do not know which sense has been used by the author of the record.

***Russula incarnata* Quél. var. *livida* Bres. = ?**

Ref.: Saccardo 1887, Schulzer 1885

***Russula inodora* Schulzer - nom. nud.**

Ref.: Schulzer & al. 1866

***Russula lactea* Pers.**

Ref.: Lorinser - Janda 1877, Schulzer & al. 1866, Škorić 1928, Vouk & Pevalek 1916

Annotation: According to Romagnesi (1967), most interpretations of this species by older authors are doubtful, therefore we excluded the records.

***Russula lactea* Pers. var. *macella* Schulzer = ?**

Ref.: Schulzer 1879 a

***Russula linnaei* (Fr.) Fr.**

Ref.: Vouk & Pevalek 1916

Annotation: According to Vuure (1992), identity of this species is doubtful in the original, Friesian sense. Later, this name has been misapplied in different senses, and we do not know which sense has been used by the author of the record.

Russula livida (Pers.) J. Schröt.

Ref.: Vouk & Pevalek 1916

Annotation: According to Dennis & al. (1960) and Romagnesi (1967), the identity of this species is doubtful in the original, Persoon's sense. Since misapplications of this epithet for *Russula heterophylla* (Fr.) Fr. are dated after the record for Croatia, we excluded it.

Russula ochraceoalba Britzelm. = ?

Ref.: Vouk & Pevalek 1916

Russula ochroleuca Pers. var. ***fraudulosa*** Schulzer - nom. nud.

Ref.: Schulzer & al. 1866

Russula palomet (DC.) ? = ?

Ref.: Schulzer & al. 1866

Russula plumbeocinerea Schulzer = ?

Ref.: Schulzer 1870

Russula purpurea (Schaeff.) ? = ?

Ref.: Vouk & Pevalek 1916

Russula purpurina Quél. et Schulzer = ?

Ref.: Saccardo 1887, Schulzer 1885

Russula queletiana Sacc. = ?

= *Russula queletii* Schulzer (nom. illeg.) (1)

Ref.: Schulzer 1885 (1), Saccardo 1887 HR?

Russula rugosa Schulzer = ?

Ref.: Schulzer 1879 a, Schulzer & al. 1866 (nom. nud.), Schulzer 1870 HR?

Russula subemetica Schulzer = ?

Ref.: Schulzer 1881

Russula tinctoria Schulzer - nom. nud.

Ref.: Schulzer & al. 1866

Russula xerampelina (Schaeff.) Fr. var. ***barlae*** (Quél.) Masee

= *Russula barlae* Quél.

Ref.: Lisiewska & Tortić 1990, unp. Tortić

Exs.: CNF

Annotation: According to Arnolds & al. (1995) and Bollmann & al. (1996) this epithet has been misapplied for two different species (sensu Jul. Schäff. = *Russula faginea* Romagn., sensu Romagn. = *R. cicatricata* Romagn. ex Bon). Since we do not know in which sense the authors of the records have used this name, we exclude it.

Familia **Strophariaceae** Singer et A.H. Sm.

- Agaricus adiposoides* Schulzer = ? [*Pholiota*]
Ref.: Schulzer 1879 a
- Agaricus agrarioides* Schulzer = ? [*Psilocybe*]
Ref.: Schulzer 1878
- Agaricus amarodulcis* Schulzer = ? [*Flammula*]
Ref.: Schulzer 1877
- Agaricus apicreus* Fr. var. *apiculatulus* Schulzer = ?
Ref.: Schulzer 1880
- Agaricus arrosus* Schulzer = ? [*Psilocybe*]
Ref.: Schulzer 1877
- Agaricus britzelmayri* Schulzer = ? [*Hypholoma*]
= *Agaricus praecox* Pers. : Fr. var. *macrospermus* Schulzer (1)
Ref.: Schulzer 1879 a (1), Schulzer 1881
- Agaricus bulbosulus* Schulzer = ? [*Psilocybe*]
Ref.: Schulzer 1877
- Agaricus bullaceoides* Schulzer - nom. dub. (Gerhardt 1996)
Ref.: Schulzer 1877
Annotation: According to Gerhardt (1996) this name is a synonym of
Psilocybe coprophila (Bull. : Fr.) P. Kumm. or *Stropharia semiglobata*
(Batsch : Fr.) Quél.
- Agaricus caducus* Schulzer = ? [*Hypholoma*]
Ref.: Schulzer 1877
- Agaricus carpini-betuli* Schulzer = ? [*Hypholoma*]
= *Agaricus carpini* Schulzer (nom. illeg.) (1)
Ref.: Schulzer 1880 (1), Schulzer 1881, Schulzer & al. 1866 (nom. nud.) (1)
- Agaricus congestus* Schulzer = ? [*Flammula*]
Ref.: Schulzer 1880
- Agaricus dulcamaricans* Schulzer = ? [*Flammula*]
Ref.: Schulzer 1877
- Agaricus dulcamaricans* Schulzer var. *populicola* Schulzer = ? [*Flammula*]
Ref.: Schulzer 1877
- Agaricus insipidus* Schulzer = ? [*Psilocybe*]
Ref.: Schulzer 1881
- Agaricus languide-flavus* Schulzer = ? [*Pholiota*]
Ref.: Schulzer 1877
- Agaricus lateritius* Schaef. : Fr. var. *acrocomatus* Schulzer - nom. nud.
Ref.: Schulzer & al. 1866
- Agaricus merdarius* Fr. : Fr. var. *laevis* Schulzer = ?
Ref.: Schulzer 1877
- Agaricus nigrosporus* Schulzer = ? [*Psilocybe*]
Ref.: Schulzer 1880

Agaricus nigrosporus Schulzer var. *nemoreus* Schulzer = ? [*Psilocybe*]

Ref.: Schulzer 1880

Agaricus nummus Schulzer = ? [*Flammula*]

Ref.: Schulzer 1877

Agaricus pulverans Schulzer = ? [*Pholiota*]

Ref.: Schulzer 1877

Agaricus subarmillatus Schulzer = ? [*Hypholoma*]

Ref.: Schulzer 1881

Agaricus subrugosus Schulzer = ? [*Hypholoma*]

Ref.: Schulzer 1878

Agaricus velutiniformis Schulzer - nom. inval.

Ref.: Schulzer 1881

Flammula bresadolae Schulzer = ?

= *Agaricus vulpecula* Schulzer (nom. illeg.) (1)

Ref.: Saccardo 1887, Schulzer 1877 (1), Schulzer 1885

Hypholoma assimulans Britzelm. = ?

Ref.: Vouk & Pevalek 1915

Hypholoma elaeodes (Fr.) Gillet

Ref.: Vouk & Pevalek 1915

Annotation: According to Dennis & al. (1960) and Watling & Gregory (1987) it could be a synonym of *Hypholoma fasciculare* (Huds. : Fr.) P. Kumm.

Hypholoma fasciculare (Huds. : Fr.) P. Kumm. var. *obtusum* (Schulzer) Sacc.

Ref.: Saccardo 1887

Annotation: Author of the quote specified Slavonia (part of Croatia) as a locality, but Schulzer has not described this variety from the territory of Croatia.

Pholiota djakovensis (Schulzer) Sacc. = ?

= *Agaricus djakovensis* Schulzer (1)

Ref.: Saccardo 1887, Schulzer 1882 (1)

Pholiota magna Sacc. = ?

Ref.: Saccardo 1887 HR?

CONCLUSION

This Preliminary checklist of Agaricales from Croatia published in five parts, this being the last one, includes all published and most of the unpublished sources of data known to us, published or collected until 1 January 2000. The checklist presents all together 837 species (seven of them in a broad sense), 112 genera and 16 families, of which we have revised 440 species. 106 species and five genera are reported for the first time from Croatia.

We estimate that the overall number of species of the order Agaricales in Croatia is about 3000. Therefore, it is obvious that mycological research in Croatia is still at the beginning. In the last few years mycological field research in Croatia has been intensified under the long-term project of Croatian Mycological Society "Recording and Mapping of Fungi in Croatia".

ACKNOWLEDGEMENTS

We are grateful to Dr. Milica Tortić, Prof. Maria Lisiewska and Mr. Neven Matočec for generously allowing us to use the unpublished data from their records; to Dr. Milica Tortić, Mr. Andrej Piltaver, and Prof. Bogdan Cvjetković for their assistance with literature; to Prof. Roy Watling and Prof. Wulfard Winterhoff for reviewing the manuscript; to Mrs. Maja Prezel for helping with the English version of the text; and to the former State Directorate for the Protection of Nature and Environment for financial assistance. We also thank all collectors of material and all those who have in any way contributed to the writing of this paper.

LITERATURE CITED

SOURCES OF RECORDED TAXA

Published:

- Barčić, B. (1982). Prilog flori gljiva otočica Košljuna. – *Acta Bot. Croat.* 41: 121-127.
- (1989). Novi prilog flori gljiva otočica Košljuna. – *Acta Bot. Croat.* 48: 107-110.
- (1996). Flora i vegetacija otočica Košljuna. – *Franjevački samostan na Košljunu - Punat, Košljun.*
- Blagaić, K. (1921). Prilozi flori viših gljiva okolice Plitvičkih Jezera. – *Glasn. Hrvatsk. Prir. Društva* 33(1): 10-44.
- (1923). Neke naše napomene vrijedne gljive. – *Glasn. Hrvatsk. Prir. Društva* 35(1-2): 1-15.
- (1931). Gljive naših krajeva. – *Vlastita naklada, Zagreb.*
- Božac, R. (1982). Gljive naših krajeva. – *Grafički zavod Hrvatske, Zagreb.*
- (1984). 600 gljiva naših krajeva. – *Mladost, Zagreb.*
- (1986). Gljive - poznavanje i sakupljanje. – *Mladost, Zagreb.*
- (1989). Gljive naših krajeva. – *Grafički zavod Hrvatske, Zagreb.*
- (1993). Gljive: morfologija, sistematika, toksikologija. – *Školska knjiga - Grafički zavod Hrvatske, Zagreb.*
- Focht, I. (1972). Korčulanske gljive sabrane u prosincu. – *Zbornik otoka Korčule (Zagreb)* 2: 229-240.
- (1974). Gljive dubrovačkog kraja. – *Dubrovnik (Dubrovnik)* 6: 89-102.
- (1979). Gljive Jugoslavije. – *Nolit, Beograd.*

- Focht, I. (1981). Gljivarski vikend. – Vjesnik, Zagreb.
 — (1983). Sigurnosni gljivarski vikend. – Vjesnik, Zagreb.
 — (1986). Ključ za gljive. – Naprijed, Zagreb.
- Forenbacher, A. (1915). Beitrag zur Kenntnis der Pilzflora des Gorski kotar. – Magyar Bot. Lapok 14: 270-275.
- Fries, E. (1874). Hymenomycetes Europaei sive epicriseos systematis mycologici editio altera. – Upsaliae. (Reprint: 1937, Dr. Werner Klinkhardt, Leipzig).
- Kalchbrenner, K. & S. Schulzer (1873-1877). Icones selectae Hymenomycetum Hungariae. – Pest.
- Gjurašin, S. (1898). Gljive iz okolice gospičke. – Nastavni vjesnik (Zagreb) 6: 50-57.
- Jelić, M. & M. Tortić (1973). Neke osobitosti flore makroskopskih gljiva u šumi lužnjaka u rezervatu Prašnik. – Acta Bot. Croat. 32: 227-235.
- Kišpatić, J. (1950). Prilog poznavanju parasitske mikoflore Hrvatske. – Glasn. Biol. Sekc. II/B, T. 2/3: 44-50.
- Kranjčev, R. (1979). Iz svijeta gljiva bilogorsko-podravske regije. – Planinar (Koprivnica) 8: 2-6.
 — (1986). U drugovanju s brezama. – Priroda (Zagreb) 74(7-8): 217-221.
 — (1991). Gljiva na gljivi. – Priroda (Zagreb) 81(5-6): 21.
 — (1995). Priroda Podravine. – Mali Princ, Koprivnica.
- Lange, L. (1974). The Distribution of Macromycetes in Europe. – Dansk Bot. Ark. 30(1): 1-105.
- Lisiewska, M. (1993). Badania mikosocjologiczne w zespołach leśnych Parku Narodowego Jeziora Plitwickie (Chorwacja). – Wiadom. Bot. 37(3/4): 81-82.
- Lisiewska, M. & M. Tortić (1990). Macrofungi in forest associations of the Plitvička jezera National Park (Croatia, Yugoslavia). – Acta Bot. Croat. 49: 81-91.
- Lorinser, M. V. - J. Janda (1877). Najvažnije jestive, sumnjive i otrovne gljive. – Sveučilišna knjižara Albrecht i Fiedler, Zagreb.
- Mužić, S. & R. Božac (1984). Kuharica sakupljača gljiva. – Mladost, Zagreb.
 — & — (1997). Kuhanje i ljekovitost gljiva. – Školska knjiga, Zagreb.
- Pilát, A. (1948). Monographie des espèces européennes du genre *Crepidotus* Fr. – Atlas des Champignons de l'Europe VI. Musée National, Prague.
- Poštenjak, K. (1983). Prilog poznavanju nalazišta *Lactarius semisanguifluus* Heim et Leclair na jugoistočnim padinama Nacionalnog parka "Risnjak". – Šumarski List 107(9-10): 421-424.
- Saccardo, P. A. (1887). Sylloge fungorum omnium hucusque cognitorum. V. – Patavii.
- Schulzer, S. (1857). Systematische Aufzählung der Schwämme Ungarns, Slavoniens, und des Banates, welche diese Länder mit anderen gemein haben. – Verh. K.K. Zool.-Bot. Ges. Wien 7 (Abh.): 127-152.
 — (1867). Mycologische Miscellen. – Verh. K.K. Zool.-Bot. Ges. Wien 17 (Abh.): 709-730.

- Schulzer, S. (1870). Mykologische Beobachtungen aus Nord-Ungarn im Herbste 1869. – Verh. K.K. Zool.-Bot. Ges. Wien 20 (Abh.): 169-210.
- (1877). Mycologische Beiträge. – Verh. K.K. Zool.-Bot. Ges. Wien 26 (Abh.): 415-432.
- (1878). Mycologische Beiträge. – Verh. K.K. Zool.-Bot. Ges. Wien 27 (Abh.): 97-116.
- (1879 a). Mycologische Beiträge. III. – Verh. K.K. Zool.-Bot. Ges. Wien 28 (Abh.): 423-436.
- (1879 b). Mycologisches. – Flora (Regensburg) 62: 385-391.
- (1880). Mycologische Beiträge. IV. – Verh. K.K. Zool.-Bot. Ges. Wien 29 (Abh.): 489-506.
- (1881). Mycologische Beiträge. V. – Verh. K.K. Zool.-Bot. Ges. Wien 30 (Abh.): 487-498.
- (1882). Deset dana u Djakovu. – Rad Jugoslav. Akad. Znan. 64: 173-183.
- (1885). Einige neue Pilz-Species und Varietäten aus Slavonien. – Hedwigia 24: 129-151.
- Schulzer, S., A. Kanitz & J. A. Knapp (1866). Die bisher bekannten Pflanzen Slavoniens. Ein Versuch. – Verh. K.K. Zool.-Bot. Ges. Wien 16 (Abh.): 3-172.
- Stropanik, Z., B. Tratnik & G. Seljak (1988). Naše gobje bogastvo. – Mladinska knjiga, Ljubljana.
- Škorić, V. (1928). Mikološki prilog flori Hrvatske i Slavonije sa osobitim obzirom na parasitske gljive. – Glasn. Hrvatsk. Prir. Društva 39-40: 97-108.
- (1938). Da li je *Pholiota adiposa* Fr. ili *Pholiota aurivella* (Batsch) Fr. uzročnik karakteristične truleži jelova drva? – Glasn. Šumske Pokuse 6: 61-65.
- TortiĆ, M. (1964). Prilog poznavanju viših gljiva okolice Zagreba. – Acta Bot. Croat. 23: 73-100.
- (1966 a). Makromiceti Gorskog kotara I. – Acta Bot. Croat. 25: 35-50.
- (1966 b). O rasprostranjenju gljiva u Gorskom kotaru. – Acta Bot. Croat. 25: 21-33.
- (1968 a). The Mycoflora of Gorski Kotar in Yugoslavia. – Acta Mycol. 4(2): 351-354.
- (1968 b). Više gljive okolice Zagreba II. – Acta. Bot. Croat. 26-27: 101-116.
- (1973). Makromiceti Gorskog kotara II. – Acta Bot. Croat. 32: 217-225.
- (1979). Komparacija flore lignikolnih viših gljiva u dvije šumske asocijacije u nacionalnom parku Plitvička jezera. – In: Rauš, Đ. (Ed.), Zbornik drugog kongresa ekologa Jugoslavije. – Savez društava ekologa Jugoslavije, Zagreb. pp. 1133-1141.
- (1989). Wood-inhabiting agarics and larger ascomycetes in the Plitvice Lakes National park. – Plitvički bilten (Plitvička jezera) 2: 31-38.

- TortiĆ, M. (1993). Macromycetes in mountain Velebit (Croatia). – Acta Bot. Croat. 52: 81-96.
- (1994). Gljive u Nacionalnom parku "Risnjak". – In: Frković, A. (Ed.), Zbornik radova: 40 godina Nacionalnog parka "Risnjak" (1953.-1993.). – Javno poduzeće Uprava Nacionalnog parka "Risnjak", Crni Lug. pp. 78-79.
- TortiĆ, M. & M. Lisiewska (1978). Macromycetes in some chestnut forests in the vicinity of Zagreb. – Acta Bot. Croat. 37: 189-201.
- Urbani, M. (1946). Gljive - meso naših šuma. – Poljoprivredna naklada, Zagreb.
- Vouk, V. & I. Pevalsek (1915). Prilog poznavanju gljiva zagrebačke okoline. – Prir. Istraž. Hrvatske Slavonije 6: 17-25.
- & —— (1916). Prilog poznavanju bazidiomiceta sjeverne Hrvatske. – Prir. Istraž. Hrvatske Slavonije 8: 18-24.
- Vrščaj, D. (1990). Gljive: od Triglava do Jadrana. – ČZP Kmečki glas, Ljubljana.

Unpublished:

- Kotlaba, F. Notes (according to notes of M. Tortić).
- Lisiewska, M. (1969-1989). Notes; in the possession of the author.
- Matočec, N. (1986-1992). Notes; in the possession of the author.
- Tkalčec, Z. & A. Mešić (1984-1999). Notes; in the possession of the authors.
- TortiĆ, M. (1956-1989). Notes; in the possession of the author.
- (1970). Rasprostranjenost nekih lignikolnih viših gljiva u Jugoslaviji s posebnim obzirom na vrste *Armillariella mellea* i *A. tabescens* (Agaricales). Zagreb. Doktorska dizertacija.
- Veselský, J. According to data on exsiccatum.

OTHER CITED LITERATURE

- Arnolds, E., T. W. Kuyper & M. E. Noordeloos, Eds (1995). Overzicht van de paddestoelen in Nederland. – Nederlandse Mycologische Vereniging, Wijster.
- Bas, C., T. W. Kuyper, M. E. Noordeloos & E. C. Vellinga, Eds (1999). Flora agaricina neerlandica. 4. – A. A. Balkema, Rotterdam - Brookfield.
- Basso, M. T. (1999). *Lactarius* Pers. – Fungi Europaei 7. Mykoflora, Alassio.
- Bollmann, A., A. Gminder & P. Reil (1996). Abbildungsverzeichnis mittell-europäischer Grosspilze. – Schwarzwälder Pilzleherschau, Hornberg.
- Bon, M. (1980). Clé monographique du genre *Lactarius* (Pers. ex Fr.) S.F. Gray. – Doc. Mycol. 10(40): 1-85.
- (1988). Clé monographique des russules d'Europe. – Doc. Mycol. 18(70-71): 1-120.
- (1992). Clé monographique des especes galéro-naucorioïdes. – Doc. Mycol. 21(84): 1-89.
- Dennis, R. W. G., P. D. Orton & F. B. Hora (1960). New Check List of British Agarics and Boleti. – Cambridge University Press, London - New York.

- Einhellinger, A. (1994). Die Gattung *Russula* in Bayern. – Bibliotheca Mycologica 112. J. Cramer, Berlin - Stuttgart.
- Fries, E. (1821). Systema mycologicum. I. – Gryphiswaldiae. (Reprint: 1994, Confederatio Europaea Mycologiae Mediterraneensis A.E., Saronno).
- Galli, R. (1996). Le Russule. – Edinatura, Milano.
- Gerhardt, E. (1996). Taxonomische Revision der Gattungen *Panaeolus* und *Panaeolina* (Fungi, Agaricales, Coprinaceae). – Biblioth. Bot. 147. E. Schweizerbart'sche Verlagsbuchhandlung (Nägele u. Obermiller), Stuttgart.
- Hansen, L. & H. Knudsen, Eds (1992). Nordic Macromycetes. 2. Polyporales, Boletales, Agaricales, Russulales. – Nordsvamp, Copenhagen.
- Heilmann-Clausen, J., A. Verbeken & J. Vesterholt (1998). The genus *Lactarius*. – Fungi of Northern Europe 2. Jacob Heilmann-Clausen, Annemieke Verbeken, Jan Vesterholt & The Danish Mycological Society, Odense.
- Høiland, K. (1978). The genus *Psilocybe* in Norway. – Norweg. J. Bot. 25(2): 111-122.
- Holec, J. (2001). The genus *Pholiota* in central and western Europe. – IHW-Verlag, Eching.
- Jacobsson, S. (1991) "1990". *Pholiota* in northern Europe. – Windahlia 19: 1-86.
- Kreisel, H., Ed. (1987). Pilzflora der Deutschen Demokratischen Republik. Basidiomycetes (Gallert-, Hut- und Bauchpilze). – VEB Gustav Fischer, Jena.
- Kuyper, T. W. & M. van Vuure (1985). Nomenclatural notes on *Russula*. – Persoonia 12(4): 447-455.
- Mešić, A. & Z. Tkalčec (2002). Preliminary checklist of Agaricales from Croatia. II. Families Agaricaceae, Amanitaceae, Cortinariaceae and Hygrophoraceae. – Mycotaxon 83: 453-502.
- & —— (2003). Preliminary checklist of Agaricales from Croatia IV: Families Bolbitiaceae, Coprinaceae, Entolomataceae and Pluteaceae. – Mycotaxon 87: 283-309.
- Moser, M. (1983). Die Röhrlinge und Blätterpilze (Polyporales, Boletales, Agaricales, Russulales). – Kleine Kryptogamenflora IIb/2. Gustav Fischer, Stuttgart - New York.
- Neuhoff, W. (1955) "1956". Die Milchlinge (Lactarii). – Die Pilze Mitteleuropas 2b. Julius Klinkhardt, Bad Heilbrunn Obb.
- Noordeloos, M. E. & T. W. Kuyper (1999). Notulae ad Floram agaricinam neerlandicam - XXXV: On the typification of *Lactarius necator*. – Persoonia 17(2): 291-294.
- Norstein, S. (1990). The genus *Crepidotus* (Basidiomycotina, Agaricales) in Norway. – Synopsis fungorum 2. Fungiflora, Oslo.
- Pilát, A., (1951). Klíč k určování našich hub hřibovitých a bedlovitých. – Brázda, Praha.
- Rauschert, S. (1989). Nomenklatorische Studien bei höheren Pilzen I. Russulales (Täublinge und Milchlinge). – Česká Mykol. 43(4): 193-209.

- Romagnesi, H. (1967). Les Russules d'Europe et d'Afrique du Nord. – Bordas, France.
- (1985). Les Russules d'Europe et d'Afrique du Nord. – J. Cramer, Vaduz.
- Sarnari, M. (1998). Monografia illustrata del Genere *Russula* in Europa. Tomo Primo. – A.M.B., Trento - Vicenza.
- Senn-Irlet, B. (1992 a). *Crepidotus* in Nederland. – Coolia 35(1): 1-12.
- (1992 b). Type studies in *Crepidotus* - I. – Persoonia 14(4): 615-623.
- (1995). The genus *Crepidotus* (Fr.) Staude in Europe. – Persoonia 16(1): 1-80.
- Singer, R. (1986). The Agaricales in Modern Taxonomy. – Koeltz Scientific Books, Koenigstein.
- Tkalčec, Z. & A. Mešić (2002). Preliminary checklist of Agaricales from Croatia. I. Families Pleurotaceae and Tricholomataceae. – Mycotaxon 81: 113-176.
- & —— (2003). Preliminary checklist of Agaricales from Croatia III: Families Boletaceae, Gomphidiaceae and Paxillaceae. – Mycotaxon 87: 255-282.
- Vuure, M. van (1992). Checklist van *Russula* in Nederland. – Coolia 35, Suppl.
- Watling, R. & N. M. Gregory (1987). Strophariaceae & Coprinaceae pp. – British Fungus Flora: Agarics and Boleti 5. Royal Botanic Garden, Edinburgh.
- & —— (1989). Crepidotaceae, Pleurotaceae and other pleurotoid agarics. – British Fungus Flora: Agarics and Boleti 6. Royal Botanic Garden, Edinburgh.